

Dot system

Designed by Bluezone and Monica Graffeo

Modular bookcase with continuous shelves fixed on uprights. The shelves can be fitted at any height thanks to the special shelf support that allows millimetric adjustment. The uprights are in extruded anodised aluminium and are supplied in six standard sizes or cut-to-size. The shelves are in painted sheet metal and are supplied in three standards depths and six lengths or cut-to-size. Small end panels in anodised aluminium complete the end of the shelves and can be fitted flush with the uprights or projecting, creating arrangements that differ greatly from each other and depend on the requirements of the user. The bookcase can be fitted against the wall, wall-hung or floor-standing on supports. The two-sided partition version requires adjustable thrust devices. Some of the accessories to be pointed out include the bookshelf partition, the CD rack, the clothes-hanging tubes, the light bar and the new wall-mounted or floor-standing drawer units, which come either with or without wheels.

Finish available for upright, side:

Anodized aluminium

Aluminium painted white Ral 9010 semi-matt

Aluminium painted black Ral 9005 semi-matt

Finish of top:


Steel painted aluminium Ral 9006 satin finish

Steel painted white Ral 9010 semi-matt

Steel painted black Ral 9005 satin-finish




This bookcase should be assembled taking into consideration the type of wall it will be anchored to.



Dot system

➤ Wall-fixed bookcase. Wall-hung or floor-standing version.



The distance between the uprights must not exceed 90 cm.

In projecting arrangements, it is important not to exceed a projection of 45 cm. Maximum advisable load on the projecting part is 10 kg.


Shelves can be custom-sized in width and uprights in height.

Maximum advisable load for 25/35 cm deep shelves is 40 kg (with a distance between uprights of 90 cm) and 60 kg (with a distance between uprights of 75 cm).

Maximum advisable load for 45 cm deep shelves is 30 kg (with a distance between uprights of 90 cm) and 40 kg (with a distance between uprights of 75 cm).

(*) For bookshelves, it is advisable not to use offset shelves, and the maximum interval between the uprights must not exceed 75 cm.

➤ Bookcase fixed to the ceiling by means of adjustable thrust devices. Double and single-faced versions are available.



The distance between uprights must not exceed 75 cm.

In projecting arrangements, it is important not to exceed a projection of 37,5 cm. Maximum advisable load on the projecting part is 10 kg.

Shelves can be custom-sized in width and uprights in height.


For ceiling-fixed bookcases it is advisable to use 25 cm deep shelves only.

Maximum advisable load for 25 cm deep shelves is 40 kg (with a distance between uprights of 75 cm).

Dot wardrobe


Designed by Bluezone and Monica Graffeo

More than just a furnishing system, this is a new way of organizing space in the wardrobe: Dot wardrobe, the latest in the series, lets you make smart use of even the toughest spaces.



Dot wardrobe

Wall walk-in wardrobe with drawer units on the floor.




The distance between the uprights must not exceed 90 cm.

The clothes rails and luminous bar can be cut to size.

Shelves can be custom-sized in width and uprights in height.

Maximum advisable load for 45 cm deep shelves is 30 kg (with a distance between uprights of 90 cm) and 40 kg (with a distance between uprights of 75 cm).

Wall walk-in wardrobe with wall mounted drawer units.



The distance between the uprights must not exceed 90 cm.

The clothes rails and luminous bar can be cut to size.

Shelves can be custom-sized in width and uprights in height.


Maximum advisable load for 45 cm deep shelves is 30 kg (with a distance between uprights of 90 cm) and 40 kg (with a distance between uprights of 75 cm).

For cantilevered elements it is important not to exceed a projection of 45 cm. Recommended projection bearing capacity is 25 Kg.


(*) It is not possible to line up other shelves above or under the hanging drawers.

Dot system info

↳ Attaching wall-mounted uprights




↳ Real measurements




Dot system info

↘ Aligning the tops



For arrangements that include aligned tops with standard measurements on one level and single tops on other levels, the latter must be made with a custom-sized cut (+0.5 cm) for correct alignment.


↘ Arrangements in a niche




For arrangements in a niche, a minimum distance of 5 cm between the wall and the first gap of the upright is recommended. This space is required for easy drilling.

Dot system


Distance between uprights




Wall-fixed bookcase




SHELF WITHOUT SIDE AND PROJECTING




SHELF WITH SIDE AND FLUSH FITTED



SHELF WITH SIDE AND PROJECTING




SHELF WITH SIDE AND FLUSH FITTED




SHELF WITH HIGH SIDE AND FLUSH FITTED


Bookcase fixed to the ceiling by means of adjustable thrust devices




SHELF WITHOUT SIDE AND PROJECTING




SHELF WITH SIDE AND FLUSH FITTED



SHELF WITH SIDE AND PROJECTING



SHELF WITH SIDE AND FLUSH FITTED




SHELF WITH HIGH SIDE AND FLUSH FITTED

Dot system elements

Anodised aluminium wall upright
in painted or anodized aluminium.


H 60 100 140 180 220 260 cm + ✂
H 23 5/8" 39 3/8" 55" 70 7/8" 86 5/8" 102 3/8" + ✂



Maximum height for non-standard uprights 3m.

Code	Height (cm.)	Finish	
55MOP01	60	anodised aluminium	
		painted white	
		painted black	
55MOP02	100	anodised aluminium	
		painted white	
		painted black	
55MOP03	140	anodised aluminium	
		painted white	
		painted black	
55MOP04	180	anodised aluminium	
		painted white	
		painted black	
55MOP05	220	anodised aluminium	
		painted white	
		painted black	
55MOP06	260	anodised aluminium	
		painted white	
		painted black	
✂	?	cut to size	


Aluminium alloy support for floor-
standing bookcase.



Code	Height (cm.)	Finish	
55SOS01	18	painted aluminium	
		painted white	
		painted black	

Floor-to-ceiling uprights, in painted or
anodized aluminium.


H 236/242 276/282 316/322 cm + ✂
H 92 7/8" 95 1/4" 108 3/4" 111" 124 3/8" 126 3/4" + ✂



Code	Height (cm.)	Finish	
55MOS01	236/242	anodised aluminium	
		painted white	
		painted black	
55MOS02	276/282	anodised aluminium	
		painted white	
		painted black	
55MOS03	316/322	anodised aluminium	
		painted white	
		painted black	
✂	?	cut to size	

Painted steel shelf-support with
fixing block.


P 25 35 45 cm
D 9 7/8" 13 3/4" 17 3/4"



Code	Depth (cm.)	Finish	
55REG01	25	painted aluminium	
		painted white	
		painted black	
55REG02	35	painted aluminium	
		painted white	
		painted black	
55REG03	45	painted aluminium	
		painted white	
		painted black	

Painted steel shelf-support with
fixing block to join two shelves.

P 25 35 45 cm
D 9 7/8" 13 3/4" 17 3/4"




Code	Depth (cm.)	Finish	
55REG11	25	painted aluminium	
		painted white	
		painted black	
55REG12	35	painted aluminium	
		painted white	
		painted black	
55REG13	45	painted aluminium	
		painted white	
		painted black	

Dot system elements

Painted steel shelf 25 cm deep


L 76 91 151 181 226 271 cm +✂ +Δ
W 297/8" 357/8" 593/8" 712/8" 887/8" 1063/4" +✂ +Δ



Code	Length (cm.)	Finish
55PIA201	76	painted aluminium
		painted white
		painted black
55PIA202	91	painted aluminium
		painted white
		painted black
55PIA203	151	painted aluminium
		painted white
		painted black
55PIA204	181	painted aluminium
		painted white
		painted black
55PIA205	226	painted aluminium
		painted white
		painted black
55PIA206	271	painted aluminium
		painted white
		painted black
✂	?	cut to size
Δ	?	a 45° cut

Painted steel shelf 35 cm deep


L 76 91 151 181 226 271 cm +✂ +Δ
W 297/8" 357/8" 593/8" 712/8" 887/8" 1063/4" +✂ +Δ



Code	Length (cm.)	Finish
55PIA301	76	painted aluminium
		painted white
		painted black
55PIA302	91	painted aluminium
		painted white
		painted black
55PIA303	151	painted aluminium
		painted white
		painted black
55PIA304	181	painted aluminium
		painted white
		painted black
55PIA305	226	painted aluminium
		painted white
		painted black
55PIA306	271	painted aluminium
		painted white
		painted black
✂	?	cut to size
Δ	?	a 45° cut

Painted steel shelf 45 cm deep

L 76 91 151 181 226 271 cm +✂ +Δ
W 297/8" 357/8" 593/8" 712/8" 887/8" 1063/4" +✂ +Δ




Code	Length (cm.)	Finish
55PIA401	76	painted aluminium
		painted white
		painted black
55PIA402	91	painted aluminium
		painted white
		painted black
55PIA403	151	painted aluminium
		painted white
		painted black
55PIA404	181	painted aluminium
		painted white
		painted black
55PIA405	226	painted aluminium
		painted white
		painted black
55PIA406	271	painted aluminium
		painted white
		painted black
✂	?	cut to size
Δ	?	a 45° cut

Dot system elements

Right/left end side panel in painted or anodized aluminium.


P 26 36 46 cm
D 10 2/8" 14" 18"



Code	Measures (cm.)	Finish	
55FIA01D	R 26 x 8	anodised aluminium	
		painted white	
55FIA01S	L 26 x 8	anodised aluminium	
		painted white	
55FIA02D	R 36 x 8	anodised aluminium	
		painted white	
55FIA02S	L 36 x 8	anodised aluminium	
		painted white	
55FIA03D	R 46 x 10	anodised aluminium	
		painted white	
55FIA03S	L 46 x 10	anodised aluminium	
		painted white	

Right/left tall end side panel in painted aluminium.
It acts as a bookend and can be used only in arrangements with tops flush with upright.

P 26 36 cm
D 10 2/8" 14"



Code	Depth (cm.)	Finish	
55FIA11D	R 26	painted aluminium	
		painted white	
		painted black	
55FIA11S	L 26	painted aluminium	
		painted white	
		painted black	
55FIA12D	R 36	painted aluminium	
		painted white	
		painted black	
55FIA12S	L 36	painted aluminium	
		painted white	
		painted black	


High book support in satinized methacrylate to use lined up with the upright.



Code	Depth (cm.)	Finish	
55REL11	26	satinized methacrylate	

Methacrylate CD holder.


L 75 90 cm
W 29 1/2" 35 3/8"



Code	Length (cm.)	Finish	
55PCD02	75	white methacrylate	
		black methacrylate	
55PCD01	90	white methacrylate	
		black methacrylate	

Dot system elements


Hanger-bar support, r/l or middle, in lacquered steel with fastening block.



Code		Finish
55RAP01D	R	painted aluminium
		painted white
		painted black
55RAP01C	M	painted aluminium
		painted white
		painted black
55RAP01S	L	painted aluminium
		painted white
		painted black


Hanger-bar in painted or anodized aluminium.

L 76 91 151 181 226 271 cm +✂
W 29 7/8" 35 7/8" 59 3/8" 71 1/8" 88 7/8" 106 3/4" +✂



Code	Length (cm.)	Finish
55TUB01	76	anodised aluminium
		painted white
		painted black
55TUB02	91	anodised aluminium
		painted white
		painted black
55TUB03	151	anodised aluminium
		painted white
		painted black
55TUB04	181	anodised aluminium
		painted white
		painted black
55TUB05	226	anodised aluminium
		painted white
		painted black
55TUB06	271	anodised aluminium
		painted white
		painted black
✂	?	cut to size


Bar light suppot, r/l or middle, in lacquered steel with fastening block.



Code		Finish
55RAP03D	R	painted aluminium
		painted white
		painted black
55RAP03C	M	painted aluminium
		painted white
		painted black
55RAP03S	L	painted aluminium
		painted white
		painted black

Bar light with fluorescent bulb in painted or anodized aluminium.


L 76 91 151 181 226 271 cm +✂
W 29 7/8" 35 7/8" 59 3/8" 71 1/8" 88 7/8" 106 3/4" +✂




Code	Length (cm.)	Finish
55BAR01	76	anodised aluminium
		painted white
		painted black
55BAR02	91	anodised aluminium
		painted white
		painted black
55BAR03	151	anodised aluminium
		painted white
		painted black
55BAR04	181	anodised aluminium
		painted white
		painted black
55BAR05	226	anodised aluminium
		painted white
		painted black
55BAR06	271	anodised aluminium
		painted white
		painted black
✂	?	cut to size

Dot system elements


Suspended drawer unit in lacquered steel with two full-extension drawers and automatic return.



Slip-proof mat for interior drawer.



Adjustable supports for suspended drawer units. For adjoining drawer units, use 55REC01D + 55REC01C + 55REC01S supports.




Code	Length (cm.)	Finish	
55CAS01	71	painted aluminium	
		painted white	
		painted black	
55CAS02	86	painted aluminium	
		painted white	
		painted black	

Code	Length (cm.)	Finish	
20TAP01	71	slip-proof rubber	
20TAP02	86	slip-proof rubber	


Code		Finish	
55REC01D	R	painted aluminium	
		painted white	
		painted black	
55REC01C	M	painted aluminium	
		painted white	
		painted black	
55REC01S	L	painted aluminium	
		painted white	
		painted black	

Floor-standing drawer unit or with wheels in lacquered steel with two full-extension drawers.



Code	Version	Finish	
55CAS03	floor-standing	painted aluminium	
		painted white	
		painted black	
55CAS03R	with wheels	painted aluminium	
		painted white	
		painted black	

Writing top in white or grey layered laminate 12mm thick.




Code	Measures (cm.)	Distance uprights	Finish of top	
55SCR01	123 x 80	75	white laminate grey laminate	
55SCR02	123 x 80	90	white laminate grey laminate	

Finishes

Finiture metallo

Metal finish / Metallausführungen / Acabados metal / Finitions métal




Alluminio anodizzato / Anodised aluminium / Eloxiertes Aluminium / Aluminio anodizado / Aluminium anodisé



RAL 9006 Verniciato alluminio / Painted aluminium / Aluminiumfarben lackiert / Pintado aluminio / Peint aluminium



RAL 9010 Verniciato bianco / Painted white / Weiss lackiert / Pintado blanco / Peint blanc



RAL 9005 Nero / Black / Schwarz / Negro / Noir